


PARTS LIST **ATV150-M - DUAL A-ARM**


REF.NO.	DESCRIPTION	UNIT PRICE
FIG.1	CRANK CASE	



1-1	CRANK CASE COMP R	116.16
1-3	BOLT FLANGE 6×50	1.00
1-4	PIN DOWEL 8×14	1.00
1-5	BOLT A STUD 8×195.5	1.00
1-6	GASKET CRANK CASE A	5.76
1-7	CRANK CASE COMP L	227.84
1-8	PIN ASSY ANCHOR	2.40
1-9	NUT FLANGE 8MM	1.00
1-10	RUB BUSH ENG HANGER	23.20
1-11	UNDER RUBBER RUSH RR CUSHION	25.60
1-12	OIL SEAL 19.8×30×5	30.24
1-13	BEARING 6301TMB	11.20
1-14	BEARING 6002	10.40
1-15	BEARING 6004	14.40
1-16	OIL SEAL 27×42×7	3.68
1-17	GUIDE RUBBR SPG	1.12
1-18	BOLT B STUD 8×195.5	1.00
1-34	SHAFT IDLE START	
1-35	BOLT ASSY SPECIAL DRAIN PLUG	1.00
1-36	GASKET L COVER A	5.76
1-37	COVER L	139.52
1-38	PIN DOWEL 8×14	1.00
1-39	BOLT FLANGE SHF 6×40	1.00

1-40	BOLT FLANGE SHF 6×65	1.00
1-41	CLAMPER THROTTLE CABLE	1.00
1-42	CLAMPER BREATHER DRAIN TUBE	1.00
1-43	CLAMPER BRAKE CABLE	1.00
1-44	STAY MAIN STAND STOPPER	1.28
1-45	BOLT FLANGE M6×12	1.00
1-46	TUBE MISSION BREAHER	5.76


FIG2 CYLINDER HEAD COVER.CYLINDER HEAD



2-61	COVER CYLINDER HEAD	18.56
2-62	GASKET HEAD COVER	4.64
2-63	TUBE BREATHER	5.76
2-64	CLIP 28 CHAMBER TUBE	3.52
2-65	BOLT FLANGE	1.00
2-66	HEAD COMP CYLN (ATV150)	151.04
2-71	BOLT STUD 6×50	1.00
2-72	BOLT STUD 8×32	1.00
2-73	BOLT FLANGE 6×100	1.00
2-74	DOWL PIN 10×16	1.00
2-75	COTTER VALVE	8.64
2-76	RETAINER VALVE SPRING	1.60
2-77	SPRING VALVE INNER (ATV150)	5.76
2-78	SPRING VALVE OUTER	6.72
2-78	SPRING VALVE OUTER	6.72
2-79	SEAT VALVE SPG OUTER	1.60

2-80	SEAL VALVE STEM	6.08
2-81	VALVE EXHAUST (ATV125)	19.52
2-81	VALVE EXHAUST (ATV150)	19.52
2-82	VALVE INLET (ATV125)	18.08
2-82	VALVE INLET (ATV150)	18.08
2-83	GASKET CYLINDER HEAD (ATV125)	12.80
2-83	GASKET CYLINDER HEAD (ATV150)	12.80
2-A	VALVE ARM ROCHER COMP. (ATV125)	61.28
2-A	VALVE ARM ROCHER COMP. (ATV150)	61.28
2-92	CAMSHAFT COMP (ATV150)	81.28
2-93	SPARK PLUG(CR7HAS)	12.80
2-94	GASKET CARB INSULATOR	1.44
2-95	INSULATOR CARB	1.44
2-97	PIPE COMP INLET	8.16
2-98	O-RING 27×2	1.00
2-99	NUT FLANGE 6MM	1.12
2-100	BAND INSULATOR	0.96


FIG3 CYLINDER.CRANKCASE.PISTON



3-110	CHAIN CAM	17.44
3-111	TENSIONER CAM CHAIN	9.92
3-112	GUIDE COMP CAM CHAIN	7.04
3-114	PIVOT CAM CHAIN TENSIONER	1.00
3-115	O-RING 15.5×1.5	1.00
3-116	CYLINDER COMP (ATV150)	90.72
3-117	WASHER SEALING 6.5MM	1.00
3-118	BOLT FLANGE 6×12	1.00
3-119	GASKET CYLINDER A (ATV150)	12.20
3-120	PIN DOWEL 10×16	1.00
3-121	PISTON (ATV150)	32.48
3-122	PIN PISTON (ATV150)	5.76

3-123	CLIP PISTON 15MM (ATV150)	5.76
3-127	SHAFT COMP CRANK	209.28
3-128	KEY WOODRUFF 25×14×4	1.12
3-129	LIFTER ASSY TENSIONER	13.92
3-130	GASKET TENSIONER LIFTER A	1.44
3-131	BOLT FLANGE SHF 6×22	1.00
3-132	O-RING 1.5×9.5	1.00
3-133	SCREW PAN 6×6	1.00
3-A	RING SET PISTON (ATV125)	53.44
3-A	RING SET PISTON (ATV150)	53.44


FIG.4 RIGHT CRANKCASE COVER



4-150	COVER R CRANK CASE	81.28
4-151	OIL SEAL 19.8×30×5	30.24
4-152	GASKET R COVERA	8.10
4-153	DIPSTICK	2.08
4-156	SCREEN OIL FITER	4.64
4-157	SPG OIL FILTER SCREEN	2.40
4-158	O-RING 30×8MM	3.52
4-159	HOLE CAP TAPPET ADJUSTING	
4-160	CLAMPER ACG CORD	1.00
4-161	BOLT FLANGE 6×110	1.00
4-162	BOLT FLANGE 6×100	1.00


4-163	BOLT FLANGE 6×95	1.00
4-164	BOLT FLANGE 6×40	1.00
4-165	BOLT FLANGE 8×14	1.00

FIG.5 TRANSMISSION




5-310	COVER MISSION	32.48
5-311	BRG BALL RADIAL 6204	13.28
5-312	BRG BALL RADIAL 6202	13.28
5-313	BRG BALL RADIAL 6203	10.72
5-314	OIL SEAL 20×32×6	10.72
5-315	WASHER 8MM	1.00
5-316	BOLT FLANGE 8×12	1.00
5-317	BOLT SPECIAL 8MM	1.00
5-318	BOLT FLANGE 6×28	1.00
5-319	BOLT FLANGE 6×35	1.00
5-320	GASKET MISSION COVER A	4.16
5-321	PIN DOWL 8×14	1.00
5-322	SHAFT DRIVE	88.00
5-323	SHAFT COMP COUNTER	64.00
5-324	SHAFT FINAL	79.00
5-325	CIR CLIP EX 20	1.44
5-326	GEAR FINAL	53.44

FIG.6 FAN COVER.GENERATOR




6-271	FLY WHEEL COMP(S.L)	81.28
6-272	STATOR COMP(S.L)	112.00
6-273	BOLT FLANGE SH 6x20	1.00
6-274	BOLT HEX 5x12	1.00
6-275	WASHER PLAIN 12MM	1.00
6-276	NUT HEX 12MM	1.00
6-277	FAN COMP COOLING	15.10
6-278	BOLT FLANGE SH 6x18	1.00
6-279	COVER ASSY FAN	14.08
6-284	SCREW TAPPING 5x16	1.00
6-285	CLAMP STARTER MOTOR CORD	1.12
6-286	BOLT FLANGE SH 6x25	1.00
6-287	CLAMP CARB DRAIN TUBE	2.25
6-288	BOLT FLANGE SH 6x25	1.00
6-289	SHROUD ASSY A	16.52
6-292	SHROUD ASSY B	15.80

FIG.7 DRIVEN PULLEY



7-203	WASHER 12.2×29×2.5	1.00
7-204	NUT C FLANGE M12	1.00
7-205	DRIVE BELT	48.80
7-206	DRIVEN GEAR KICK STARTER	12.16
7-206	WASHER 12.2×29×2.5	1.12
7-217	NUT FLANGE 12MM	1.00
7-A	PULLEY SET DRIVEN (ATV150)	204.48
7-B	PULLEY SET DRIVE (ATV150)	74.40


FIG.8 STARTING MOTOR.OIL PUMP



8-228	OIL PUMP ASSY (ATV150)	24.40
8-236	SCREW FLAT 6×30	1.00
8-237	DRIVEN SPRKT OIL PUMP	12.90
8-238	NUT FLANGE	0.96
8-239	CHAIN OIL PUMP	22.10


8-240	SEP PLATE	13.92
8-241	BOLT FLANGE SH M6×12	1.00
8-243	BOLT FLANGE SH M6×12	1.00
8-244	GEAR STARTER REDUCTION	27.84
8-245	SHAFT STARTER REDUCTION GEAR	
8-256	WASHER THRUST 22.2×31×2.5	1.28
8-257	NUT LOCK 22MM	1.92
8-258	KEY WOODRUFF 25×14×4	1.28
8-A	MOTOR UNIT START	120.80
8-E	STARTING CLUTCH COMP. (ATV150)	80.16

FIG.9 CARBURETOR




9-175	CARBURETOR ASSY	234.08
-------	-----------------	--------

FIG.10 FRAME




10-1	FRAME COMP.	441.60
10-2	FRONT DEFENDER L.STAY 3	11.52
10-3	FRONT DEFENDER R.STAY 4	11.52
10-4	BOLT M10×180	1.12
10-5	NUT M10	1.00
10-6	BOLT M10×20	1.00
10-7	NUT M8	1.00
10-8	BOLT M10×55	1.00
10-9	NUT M10×1.25	1.00
10-10	BOLT M10×55	1.00
10-11	NUT M10×1.25	1.00
10-12	BOLT M8×16	1.00
10-13	FRONT DEFENDER STAY	9.20
10-14	tail part, Frame	88.16
10-15	lower connecting plate, engine	13.92

FIG.11 FRONT FENDER




11-1	FRONT FENDER COMP.	292.00
11-2	HOOK	3.20
11-3	CAP, AIR CLEANER CASE 1	62.40
11-4	GASKET	3.20
11-5	BOLT, WITH WASHER M6×16	1.00
11-6	NUT, SPRING M5	1.60
11-7	FENDER, FRONT 2	62.40
11-8	BOLT, HEXAGON SOCKET HEAD M5 ×12	1.00
11-9	COVER, TOP	31.20
11-10	RIVET	1.00
11-11	BOLT M6 ×16	30.24
11-12	AIR FILTER ACSY	42.00
11-13	CORE, AIR FILTER	16.00
11-14	pipe, airfilter	20.48

FIG.12 REAR FENDER




12-1	DAMPER	1.00
12-2	REAR FENDER COMP.	292.00
12-3	GROMMET	1.60
12-4	BOLT, WITH WASHER M6 x16	1.00

FIG.13 REAR ARM




13-1	REAR FORK COMP.	104.64
13-2	BOLT M8×16	1.00
13-3	REAR SHOCK ABSORBER	97.60
13-4	BOLT M10×50	1.00
13-5	NUT M10	1.00
13-6	PROTECTION RACK REAR AXLE	22.08
13-7	WASHER $\phi 8$	1.00
13-8	AXLE FORK	6.56
13-9	BOLT M8×85	1.92
13-10	NUT M8	1.00
13-11	NUT M12	1.00
13-12	clip	1.28
13-13	bush, fork	5.12

FIG.14 DRIVE SHAFT




14-1	REAR AXLE	127.84
14-2	REAR AXLE ASSY	218.08
14-3	BRAKE DISC STAY	38.40
14-4	BRAKE DISC	53.92
14-5	BOLT M8x16	1.00
14-6	DRIVE SPROCKET	195.20
14-7	SPROCKET STAY	30.24
14-8	RACK, Rr. disc brake	65.44
14-9	DRIVEN SPROCKET	37.12
14-10	BOLT M8x16	1.00
14-11	COLLAR, WHEEL	60.48
14-12	WASHER	1.00
14-13	NUT, CA	1.00
14-14	COTTER-PIN	1.00
14-15	CHAIN	58.00
14-16	BOLT M8x85	1.92
14-17	WASHER 8	1.00
14-18	NUT M8	1.00
14-19	NUT M28x1.5x11.5	2.40
14-20	NUT M28x1.5x22	2.40

FIG.15 STEERING




15-1	COLUMN, STEERING	111.52
15-2	HOLDER, HANDLE UNDER	9.28
15-3	HOLDER, HANDLE	9.28
15-4	BOLT, FLANGE M8x55x1.25	0.96
15-5	PLANE BEARING, STEERING	4.64
15-6	STEERING STEM CLAMP M8x60	1.60
15-7	BOLT M8x60	0.64
15-8	CLIP, STEERING	1.12
15-9	WASHER LOCK Φ 14	2.40
15-10	NUT M14	4.60
15-11	COTTER-PIN 2.5 x30	2.40
15-12	LINKAGE, COMP	155.68
15-13	STEERING LINKAGE	
15-14	LINKAGE ,STEERING ROD(INNER)	
15-15	LINKAGE, STEERING ROD(OUTTER)	
15-16	thrust washer	1.00

FIG.16 FRONT SUSPENSION. WHEEL




16-1	UPPER FRONT A-ARM L	130.88
16-2	LOWER FRONT A-ARM L	148.64
16-3	LOWER FRONT A-ARM R	148.64
16-4	SHOCK ABSORBER ASSY L	88.00
16-5	NUT, CASTLE M14×1.5	1.00
16-6	COTTER-PINφ2.5×30	1.00
16-7	BOLT M10×40	1.60
16-8	BOLT M10×60	1.60
16-9	NUT M10	1.00
16-10	FRONT LEFT SEAT UNIT	75.52
16-11	FRONT RIGHT SEAT UNIT	75.52

FIG.17 FUEL TANK




17-1	FUEL TANK COMP.	213.12
17-2	CAP FUEL, TANK	8.90
17-3	HOSE (L340)	1.12
17-4	BOLT M6×30	1.00
17-5	WASHER, PLATE $\phi 3 \times 25$	1.00
17-6	COLLAR	3.20
17-7	GROMMET 2	1.60
17-8	GROMMET	3.20
17-9	BUSH	1.60
17-10	DAMPER, LOCATING 1	3.20
17-11	DAMPER	3.20
17-12	HOSE (L145)	3.20
17-13	FUEL COCK ASSY 1	28.00
17-14	FUEL FILETR	6.40
17-15	CLIP	1.00
17-16	BOLT M6×85	1.00

FIG.18 SEAT



18-1	SINGLE SEAT ASSY	131.20
------	------------------	--------


FIG.19 FRONT WHEEL



19-1	Fr. brake assy	105.12
19-2	Fr. wheel comp	178.00
19-3	Nut,flange M8	1.00
19-4	Tire front(19×7.8)	89.00
19-5	Valve, tubeless	3.20


19-6	Nut,castle M14	1.00
19-7	Pin,cotter 3.5×40	1.00
19-8	Seat, l. Fr. brake	99.04
19-9	Seat, r. Fr. brake	99.04
19-10	Fr. brake shoe	31.84
19-11	Dust-proof, boot Fr. wheel	4.00

FIG.20 REAR WHEEL



	COLLAR, WHEEL	37.44
20-1	REAR WHEEL HUB	88.00
20-2	NUT, FLANGE M8	1.00
20-3	TIRE (18×9.50-8)	86.00


FIG.21 STEERING HANDLE. CABLE



21-1	HANDLEBAR	40.64
------	-----------	-------


21-2	GRIP	10.88
21-3	THROTTLE LEVER ASSY	62.40
21-4	THROTTLE ACCELERATOR	14.08
21-5	FRONT, BRAKE LEVER	32.00
21-6	THROTTLE 1 CABLE	15.20
21-7	BRAKE CABLE	5.92
21-8	DISC BRAKE ASSY	330.88
21-9	BRAKE LEVER ONLY	32.00
21-10	DECORATION COVER, HANDLEBAR	31.20

FIG.21A - REAR BRAKE




21A-1	Rear brake assy	372.00
21A-2	Rear brake disc	78.00
21A-3	Rear brake lever	24.00
21A-4	Rear brake master cylinder (upper)	103.00
21A-5	Rear brake caliper (lower)	120.00
21A-6	Rear brake pad - set	24.00
21A-7	bolt m8×15	2.00
21A-8	cltp	2.00
21A-9	bolt m6×12	2.00
21A-10	bolt m8×25	2.00

FIG.22 STAND. FOOTREST




22-1	FOOTREST ASSY	104.64
22-2	RUBBER PAD	27.84
22-3	BOLT M55×1.25	1.00
22-4	DECORATING PLATE	34.88
22-5	BOLT M8×60	1.00
22-6	BUSH Φ14×48	1.00
22-7	BOLT M8×45	1.00
22-8	BUSH Φ12×32	1.00
22-9	BOLT M8×40	1.00
22-10	BUSH Φ14×10	1.00

FIG.23 GUARD




23-1	BUMPER	185.92
23-2	BOLT,FLANGE M8×12	1.00
	BUMPER PLUG	4.00

FIG.24 HANDLE SWITCH. LEVER




24-1	SWITCH ,HANDLE COMP.	81.28
------	----------------------	-------

FIG.25 消声器 EXHAUST MUFFLER



25-1	MUFFLER	127.84
25-2	EXHAUST PIPE	151.04
25-3	MUFFLER PAD	2.40
25-4	NUT M8	1.00
25-5	SEAL GASKET	4.64
25-6	CLAMP	4.64
25-7	BOLT M8x45	1.00


FIG.26 1 ELECTRICAL 1



26-1	C.D.I. UNIT ASSY	65.00
26-2	IGNITION COIL ASSY	48.00


26-3	SCREW, HEXAGON M6×12	1.00
26-4	RECTIFIER®ULATOR ASSY	36.00
26-5	SCREW, PAN HEAD	1.00
26-6	STARTER RELAY ASSY	24.00
26-7	NUT M6	1.00
26-8	WASHER, SPRING Φ6	1.00
26-9	BAND, SWITCH CORD L170	2.40
26-10	BATTERY ASSY	66.00
26-11	BAND, BATTERY	7.04
26-12	IGNITION SWITCH ASSY	24.96
26-13	FUSE (5A)	2.40
26-14	CLAMP, HOSE L300	0.96
26-15	CLAMP L200	0.96
26-16	STOP RELAY	11.68

FIG.27 ELECTRICAL 2




27-1	REFLECTOR	4.16
27-2	WASHER Φ6	1.00
27-3	WASHER Φ6	1.00

FIG.28 REAR LAMP



28-1	REAR LAMP ASSY	46.00
28-2	NUT M6	1.00
28-3	LENS, HEADLIGHT	68.00
28-4	BOLT, WITH WASHER	1.00
28-5	HEADLIGHT BULB	7.40
28-6	RUBBER WASHER	1.50

FIG.29 WIRE HARNESS



DEMSKI-OSTRÓN