



PARTS LIST ATV50-C - 4 stroke


REF.NO.	DESCRIPTION	PRICE
---------	-------------	-------




1-1	CYLINDER BOLCK	102.56
1-2	gasket, cylinder	4.00
1-3	CYLINDER HEAD ASSY	184.16
1-4	GASKET ASSY, CYLINDER HEAD	8.00
1-5	PIN ,DOWEL	1.00
1-6	BOLT	1.00
1-7	BUSH	1.00
1-8	washer	1.00
1-9	GASKET	1.00
1-10	GASKET	1.00
1-11	SEALING-RING	1.00
1-12	pin, dowel	1.00



2-1	cylinder head cover	93.76
2-2	l.cover .cylinder head	96.00
2-3	r.cover.cylinder head cover	96.00
2-4	valve cover	31.52
2-5	gasket, cylinder head cover	3.00
2-6	gasket, r.cylinder head cover	3.00
2-7	gasket,l.cylinder head cover	3.00
2-8	gasket, carburetor	3.00
2-9	intake pipe	13.92
2-10	o-ring	2.00
2-11	WASHER	1.00
2-12	washer	1.00
2-13	washer	1.00
2-14	washer	1.00
2-15	o-ring	1.00
2-16	bolt	1.00
2-17	bolt	1.00
2-18	nut.CAP	1.60
2-19	bolt	1.92
2-20	bolt	1.00
2-21	spark plug	7.00




3-1	SEAL, VALE STEM	3.04
3-2	CAMSHAFT COMP.	73.12
3-3	VALVE ROCKER ASSY	25.12
3-4	VALVE ROCKER ARM	1.28
3-5	INLET VALVE	11.68
3-6	OUTLET VALVE	16.64
3-7	SPRING , VALVE OUTER	4.00
3-8	SPRING , VALVE inner	1.28
3-9	seat, VALVE SPRING	2.08
3-10	seat, VALVE spring	1.00
3-11	COTTOR VALVE	3.52




4-1	TIMING driven sprocket	7.00
4-2	TIMING CHAIN	8.00

4-3	ARM COMP, CANCHAIN TESIONER	8.48
4-4	ROLLOR. CAMCHAIN TENSIONETr	1.44
4-5	PIVOT, CAM CHAIN TENSIONER	1.60
4-6	SPRING, CAM CHAIN TERSIONER	1.00
4-7	ROD COMP, CAM CHAIN TERSIONER	3.36
4-8	WASHER	1.00
4-9	ROLLER COMP, CAM CHAIN GUIDE	1.76
4-10	PION, CAM CHAIN GUIDE ROLLER	1.28
4-11	SPROCKET, CAM CHAIN ROLLER	5.44
4-12	SPRINDEL CAM CHAIN GUIDE SPROCKET	3.36
4-13	BOLT SEALING	1.60
4-14	washer	1.00
4-15	WaSHER	1.00
4-16	BOLT M6×18	1.00




5-1	CRANKCASE COMP.R	153.28
5-2	gasket crankcase	6.00
5-3	CRANKCASE COMP. L	195.68
5-4	TUBE, BREATHER	1.00
5-5	CLIP	1.00
5-6	CLIP, OVERFLOW TUBE	1.00
5-7	BOLT A, CYLINDER STUD	1.60
5-8	BOLT B, CYLINDER STUD	1.60
5-9	washer	1.00
5-10	pin 92401-10014	1.00
5-11	BOLT	1.12
5-12	screw comp.oil filler	1.00
5-13	BOLT 92140-06060B	1.00
5-14	BOLT 92140-06050B	1.00


5-15	BOLT 92140-06065B	1.00
5-16	OIL PUMP ASSY	13.76
5-17	GASKET,OIL PUMP	1.00
5-18	PIVOT, OIL FLIER	1.28
5-19	SCREW M6×16	1.00
5-20	SCREW M6×22	1.00
5-21	SUSPENSION BUSH A	2.72
5-22	SUSPENSION BUSH B	2.72
5-23	SUSPENSION BUSH C	2.72



6-1	CRANKSHAFT ASSY	192.64
6-2	RING SET A ,PISTON	54.88
	ring set b, piston	
	ring	
6-3	piston	48.64
6-4	Pin, piston	5.44
6-5	CIRCLIP,piston pin	1.00
6-6	key, woodruff	1.44




7-1	MOTOR ASSY	188.48
7-2	BOLT	1.00




8-1	FRONT COVER, L. CRANKCASE	103.84
8-2	REAR COVER, L.CRAKNCase	39.68
8-3	GASKET,L CRANKCASE	1.28
8-4	ROTOR COMP	62.08
8-5	VIEW WINDOW.B	1.92
8-6	COVER VIEW WINDOW.A	3.04
8-7	PIN DOWEL	1.00
8-8	O-RING VIEW WINDOW.A	1.00
8-9	O-RING B.VIEW WINDOW	1.00


8-10	STATOR ASSY	98.56
8-11	BOLT	1.00
8-12	BOLT	1.00
8-13	BOLT	1.00
8-14	BOLT	1.00
8-15	SCREW M6×16	1.00
8-16	BOLT	1.00
8-17	NUT M10×1.25	1.12
8-18	COMPRESSION PLATE	1.00
8-19	HOLDING PLATE	1.00
8-20	BOLT	1.00
8-21	SCREW M6×5	1.00




9-1	PLATE COVER	55.36
9-2	CHAIN, ELECTRIC AC START	9.60
9-3	GUIDE PLATE, CHAIN	3.84
9-4	TENSIONER CHAIN CAM	4.00
9-5	DRIVEN SPROKET ASSY	41.28
9-6	PLATE LIMIT	1.00
9-7	LIRETTION GUIDE COMP	39.68
9-8	OIL SEAL 30×42×4.5	4.16
9-9	OIL SEAL	2.72
9-10	O-RING	1.00
9-11	BOLT	1.00
9-12	SCREW	1.00
9-13	BRACKET	9.92
9-14	BOLT	1.00
9-15	PIN DOWEL	1.00
9-16	RING	1.00




10-1	COVER COMP.R.CRANKCASE	132.48
10-2	GASKET, R.CRANKCASE COVER	6.00
10-3	PIN, DOWEL	1.00
10-4	bearing 60012	18.88
10-5	plug, oil filter	1.44
10-6	o-seal ring	1.00
10-7	BOLT	1.00
10-8	BOLT	1.00
10-9	BOLT	1.92
10-10	CLIP, DYNAMO CORD	1.00



11-1	thrust washer	1.00
11-2	secondary driven gear	20.64
11-3	housing, primary clutch	128.32
11-4	washer ,lock	1.60
11-5	washer	1.44
11-6	nut	2.88
11-7	gasket,cover	1.44
11-8	gasket, cover	5.76
11-9	screw	1.00




12-1	secondary cluch assy	195.50
12-2	WASHER	1.44
12-3	NUT	2.88




13-1	MAINSHAFT ASSY	47.84
13-2	COUNTORSHAFT ASSY	49.28
13-3	BEARING RADIAL BOLT 6201	6.72
13-4	BEARING RADIAL BALL 6203	14.24


13-5	OIL SEAL	1.92
13-6	DRIVE SPROCKET	32.80
13-7	FIX PLATE	1.00
13-8	BOLT m6×8	1.00
13-9	BRARING REDIAL BELLY	11.68
13-10	BEARING RADIAL BOLT 6001	13.92



14-1	EXHAUST MUFFLER ASSY	152.16
14-2	nut M6	1.00
14-3	Bolt M8×20	1.00
14-4	GASKET	1.00




15-1	Front fender	159.20
15-2	BOLT, WITH WASHER	1.00
15-3	Front cover	70.24
15-4	nut,spring	1.00
15-5	screw	1.00




16-1	Rear fender	140.48
16-2	Bolt, WITH WASHER	1.00
16-3	DAMPER, battery	1.00
16-4	Foot rest, left	81.92
16-5	Foot rest, right	81.92

16-6	BOLT WITH WASHER	1.00
16-7	NUT M6	1.00
16-8	REFLECTOR COMP	3.52




17-1	Seat assy	102.88
------	-----------	--------




18-1	Fuel Tank comp	105.28
18-1-1	Cap,assy	16.32
18-1-2	Grommet	1.00

18-1-3	Fuel Cock Assy	18.72
18-2	Bolt M6×85	1.76
18-3	Washer	1.00
18-4	Bushing	1.00
18-5	lock nut M6	1.00
18-6	Bolt M6×25	1.00
18-7	Clip	1.00
18-8	Hose I90	4.64
18-9	hose I70	4.48




19-1	STEERING STEM	65.60
19-2	Bolt M8×125×55	1.12
19-3	OIL SEAL	1.12
19-4	Washer Φ10	3.04
19-5	Self-Lock nut M10	1.00
19-6	PIN, COTTER	1.00
19-7	Bolt M8×55	1.12
19-8	HOLDER, HANDLE	9.44
19-9	PLANE BEARING STEERING	9.44
19-10	bush	1.28
19-11	Washer, LOCK	1.76
19-12	O-RING	1.00
19-13	STEERING ROD ASSY	138.24
19-13-1	Steering Rod	53.92
19-13-2	Joint comp(IN)	7.52


19-13-3	Joint comp(Out)	7.52
19-14	BRACKET, CHOKE	11.68




20-1-1	hub ASSY, front DRUM BRAKE	98.24
20-1-2	brake shoe set	21.60
20-1-3	Brake assy,L	57.28
20-1-4	Brake assy,R	57.28
20-2	Front tire	88.00
20-3	Front hub	74.56
20-4	Valve	2.72
20-5	Nut m8	1.12
20-6	Nut M14	1.00
20-7	Cotter pin $\Phi 2.5 \times 30$	1.00



21-1	Bumper	44.48
21-1-1	Plug , bumper	3.00
21-2	Bole M8×16	1.00




22-1	Handle-bar	28.16
22-2	Grip	11.68
22-3	Handlebar Rubber	11.68
22-4	SLEEVE	3.04
22-5	throttle accelerator	23.36
22-6	Left lever holder assy	23.36
22-7	front brake cable	56.32
22-8	cable, throttle	18.60
22-9	rear brake cable	22.10




23-1	STEERING KNUCKLE ASSY, L	65.60
23-2	JOINT, STEERING KNUCKLE ASSY	12.64
23-3	WASHER	7.04
23-4	WASHER $\phi 10$	1.00
23-5	NUT M10 $\times$ 1.25	1.00
23-6	COTTER PIN $\phi 2 \times 20$	1.00
23-7	UPPER FRONT A-ARM	23.36
23-8	LOWER FRONT A-ARM	23.36
23-9	TOP BUSHING, FRONT A-ARM	4.10
23-10	BOTTOM BUSHING , FRONT A-ARM	4.10
23-11	BOLT 8 $\times$ 40	1.00
23-12	BOLT 8 $\times$ 140	4.16
23-13	BOLT 8 $\times$ 110	1.92
23-14	BOLT M10 $\times$ 40	1.12
23-15	NUT M10	1.00


23-16	SHOCK ABSORBER ASSY L.	49.28
23-17	WASHER $\Phi 10$	1.00
23-18	NUT M6	1.00
23-19	STEERING KNUCKLE ASSY, R	65.60




24-1	Chain	31.20
24-2	Drive sprocket	17.60
24-3	WASHER $\Phi 16$	1.00




25-1	Rear fork	65.60
25-2	chain adjuster	7.04
25-3	Rear shock absorber	70.24
25-4	protection plate	13.92
25-5	bolt M10×55	1.44
25-6	nut M10	1.00
25-7	bolt M8×12	1.00
25-8	bolt M12×25	1.00
25-9	bolt M10×40	1.00
25-10	bolt M10×60	1.92




26-1	Frame	266.88
26-2	Bolt M8×120	6.72
26-3	BOLT M8×25	1.00
26-4	Bolt M8×16	1.00
26-5	Bracket,left foot-step	3.52
26-6	Bracker,right foot-step	3.52
26-7	Nut M8	1.00
26-8	Cover,footrest	6.88
26-9	CONNECT PLATE	32.80




27-1	REAR AXLE	117.12
27-2	REAR BRAKE ASSY	164.00
27-2-1	BRAKE DISC	70.24
27-2-2	brake shoe set	22.40
27-3	REAR-AXLE HOUSING	199.04
27-4	SPROCKET WHEEL	28.16
27-5	SPROCKET WHEEL HOLDER	20.00
27-6	GASKET	1.00
27-7	BOLT M8×16	1.00
27-8	L. BUSH RR.TIRE	1.00
27-9	CONNECTION PLATE	56.32
27-10	WASHER	1.00
27-11	NUT M14	1.00
27-12	COTTER PIN 2.5×30	1.00
27-13	BRAKE DISCHOLDER	48.00
27-14	BOLT M10×16	1.00
27-15	R.BUSH	4.64
27-16	washer Φ10	3.04
27-17	Front tire	88.00
27-18	Front hub	74.56
27-19	Valve	2.72
27-20		4.64




28-1	Main cable	37.44
28-1-1	Cable, starter	5.60
28-2	Remote controller assy	n/a
28-3	Battery	66.00
28-4	Ignition switch	18.72
28-5	Off switch	46.88
28-6	Start relay	18.20
28-7	Ignition COIL	32.10
28-8	rectifier	14.88
28-9	Bolt M6×16	1.00
28-10	Stop relay	14.24
28-11	Clamp, hose	1.12
28-12	Band, battery	2.40
28-13	CDI	65.60
28-14	clamp, hose	1.76



29-1	headlight assy	60.80
29-2	bulb, headlight	7.04



30-1	Air filter ASSY	30.88
30-2	BOLT M6×16	1.00



31-1	CARBURETOR ASSY	97.76
------	-----------------	-------

